

MAXIMA

The logo for 'saime' features the word 'saime' in a bold, green, lowercase sans-serif font. A small, stylized orange leaf icon is positioned above the letter 'i'.

MAXIMA

L'eleganza dell'essere unici.





STATUARIO

EARTH GREY







CALACATTA

DAINO







PALISSANDRO



PERLATO GRIGIO





CARNICO



CARNICO









DAINO



TRAVERTINO AVORIO

**BRECCIA ONICIATA**





DOLCEVITA





TRAVERTINO NOCE





SCABOS ROSATO





CAUCASO



DAINO ROSONE







**COLORI** COLOURS - COULEURS - FARBE - ЦВЕТА







# MAXIMA




**Dolcevita**




**Crema Marfil**



**Travertino Avorio**



**Scabos Rosato**




**Travertino Noce**



**Diaspro**




**Perlato Grigio**



**Palissandro**

## FORMATI SIZES - FORMATS - FORMAT - ФОРМАТЫ



**59,5x59,5** - 24"x24" **112 ●**

### Lappato Rettificato

7683775 statuario lapp. rett.  
 7683795 earth grey lapp. rett.  
 7683785 breccia oniciata lapp. rett.  
 7681805 daino lapp. rett.  
 7681775 calacatta lapp. rett.  
 7322185 perlato grigio lapp. rett.  
 7682875 scabos rosato lapp. rett.  
 7681795 caucaso lapp. rett.  
 7681785 carnico lapp. rett.  
 7682915 travertino avorio lapp. rett.  
 7682885 travertino noce lapp. rett.  
 7682925 rapolano lapp. rett.  
 7684885 crema marfil lapp. rett.  
 7684495 dolcevita lapp. rett.  
 7684475 opaline lapp. rett.  
 7684485 diaspro lapp. rett.  
 7681815 palissandro lapp. rett. **118 ●**

### Naturale Rettificato

7683805 statuario nat. rett. **108 ●**  
 7683825 earth grey nat. rett.  
 7683815 breccia oniciata nat. rett.  
 7681855 daino nat. rett.  
 7681835 calacatta nat. rett.  
 7322335 perlato grigio nat. rett.  
 7682725 scabos rosato nat. rett.  
 7681865 caucaso nat. rett.  
 7681825 carnico nat. rett.  
 7682755 travertino avorio nat. rett.  
 7682735 travertino noce nat. rett.  
 7682765 rapolano nat. rett.  
 7684895 crema marfil nat. rett.  
 7684525 dolcevita nat. rett.  
 7684505 opaline nat. rett.  
 7684515 diaspro nat. rett.  
 7681845 palissandro nat. rett. **114 ●**



**29,7x59,5** - 12"x24" **112 ●**

### Lappato Rettificato

7683835 statuario lapp. rett.  
 7683855 earth grey lapp. rett.  
 7683845 breccia oniciata lapp. rett.  
 7681965 daino lapp. rett.  
 7681945 calacatta lapp. rett.  
 7322235 perlato grigio lapp. rett.  
 7682935 scabos rosato lapp. rett.  
 7681955 caucaso lapp. rett.  
 7681925 carnico lapp. rett.  
 7682965 travertino avorio lapp. rett.  
 7682945 travertino noce lapp. rett.  
 7682975 rapolano lapp. rett.  
 7684915 crema marfil lapp. rett.  
 7684555 dolcevita lapp. rett.  
 7684535 opaline lapp. rett.  
 7684545 diaspro lapp. rett.  
 7681935 palissandro lapp. rett. **118 ●**

### Naturale Rettificato

7683865 statuario nat. rett. **108 ●**  
 7683885 earth grey nat. rett.  
 7683875 breccia oniciata nat. rett.  
 7681915 daino nat. rett.  
 7681895 calacatta nat. rett.  
 7322385 perlato grigio nat. rett.  
 7682775 scabos rosato nat. rett.  
 7681905 caucaso nat. rett.  
 7681875 carnico nat. rett.  
 7682805 travertino avorio nat. rett.  
 7682785 travertino noce nat. rett.  
 7682815 rapolano nat. rett.  
 7684905 crema marfil nat. rett.  
 7684585 dolcevita nat. rett.  
 7684565 opaline nat. rett.  
 7684575 diaspro nat. rett.  
 7681885 palissandro nat. rett. **114 ●**




**29,7x29,7** - 12"x12" **112 ●**

### Lappato Rettificato

7683895 statuario lapp. rett.  
 7683915 earth grey lapp. rett.  
 7683905 breccia oniciata lapp. rett.  
 7682115 daino lapp. rett.  
 7682105 calacatta lapp. rett.  
 7322285 perlato grigio lapp. rett.  
 7682985 scabos rosato lapp. rett.  
 7682125 caucaso lapp. rett.  
 7682085 carnico lapp. rett.  
 7683015 travertino avorio lapp. rett.  
 7682995 travertino noce lapp. rett.  
 7683025 rapolano lapp. rett.  
 7684935 crema marfil lapp. rett.  
 7684615 dolcevita lapp. rett.  
 7684595 opaline lapp. rett.  
 7684605 diaspro lapp. rett.  
 7682095 palissandro lapp. rett. **118 ●**

### Naturale Rettificato

7683925 statuario nat. rett. **108 ●**  
 7683945 earth grey nat. rett.  
 7683935 breccia oniciata nat. rett.  
 7682005 daino nat. rett.  
 7681995 calacatta nat. rett.  
 7322435 perlato grigio nat. rett.  
 7682825 scabos rosato nat. rett.  
 7682075 caucaso nat. rett.  
 7681975 carnico nat. rett.  
 7682855 travertino avorio nat. rett.  
 7682835 travertino noce nat. rett.  
 7682865 rapolano nat. rett.  
 7684925 crema marfil nat. rett.  
 7684645 dolcevita nat. rett.  
 7684625 opaline nat. rett.  
 7684635 diaspro nat. rett.  
 7681985 palissandro nat. rett. **114 ●**




**45x45** - 18"x18" **82 ●**

### Naturale

7652295 dolcevita naturale

### Mosaico

**5x5** - 2"x2"



**29,7x29,7** - 12"x12"

### Lappato Rettificato

7683975 statuario lapp. rett. **126 ●**  
 7683965 earth grey lapp. rett.  
 7683955 breccia oniciata lapp. rett.  
 7683675 daino lapp. rett.  
 7683645 calacatta lapp. rett.  
 7683695 perlato grigio lapp. rett.  
 7683715 scabos rosato lapp. rett.  
 7683655 caucaso lapp. rett.  
 7683665 carnico lapp. rett.  
 7683725 travertino avorio lapp. rett.  
 7683735 travertino noce lapp. rett.  
 7683705 rapolano lapp. rett.  
 7684945 crema marfil lapp. rett.  
 7684645 dolcevita lapp. rett.  
 7684655 opaline lapp. rett.  
 7684665 diaspro lapp. rett.  
 7683685 palissandro lapp. rett.

## Avvertenza WARNING - ATTENTION - ACHTUNG - ВНИМАНИЕ

**NELLA POSA CON VERSIONE RETTIFICATA UTILIZZARE SEMPRE UNA FUGA DI 2 MM.**

LAYING RECTIFIED ITEMS, ALWAYS USE A 2 MM JOINT.


DANS LA POSE AVEC DES CARREAUX RECTIFIES NOUS VOUS CONSEILLONS D'UTILIZER TOUJOURS DES JOINTS DE 2 MM.

BEI DER VERLEGUNG KALIBRIERTER FLIESEN IST IMMER EINE FUGE VON 2 MM ZU EMPFEHLEN.

ПРИ УКЛАДКЕ РЕКТИФИЦИРОВАННОГО МАТЕРИАЛА ВСЕГДА ДЕЛАТЬ ШОВ МИНИМУМ 2 ММ.

## Destinazioni d'uso

INTENDED USE - DESTINATIONS D'EMPLOI - ANWENDUNGSBEREICH - ОБЛАСТИ ПРИМЕНЕНИЯ




## Spessore

THICKNESS - EPAISSEUR - DICKE - ТОЛЩИНА






## DECORI DECORS - DECORATIONS - DEKOR - ДЕКОРЫ



**59,5x59,5** - 24"x24"  
7682685 Calacatta Rosone Lapp. Rett. cp 4 pz.

133 ●



**59,5x59,5** - 24"x24"  
7682495 Calacatta arco tappeto Lapp. Rett.

102 ▲



**29,7x59,5** - 12"x24"  
7682135 Calacatta bordo Lapp. Rett. su rete

86 ▲



**14,8x59,5** - 6"x24"  
7682505 Calacatta arco fascia Lapp. Rett.

50 ▲



**14,8x14,8** - 6"x6"  
7682515 Calacatta arco ang. Lapp. Rett.

24 ▲



59,5x59,5 - 24"x24"

7682695 Daino Rosone Lapp. Rett. cp 4 pz.

133 ●



59,5x59,5 - 24"x24"

7682545 Daino arco tappeto Lapp. Rett.

102 ▲



29,7x59,5 - 12"x24"

7682145 Daino bordo Lapp. Rett. su rete

86 ▲



14,8x59,5 - 6"x24"

7682555 Daino arco fascia Lapp. Rett.

50 ▲



14,8x14,8 - 6"x6"

7682565 Daino arco ang. Lapp. Rett.

24 ▲



**59,5x59,5** - 24"x24"

7684235 Breccia Oniciata Arabesque Lapp. Rett. **85 ▲**

7684225 Breccia Oniciata Arabesque Rett. **80 ▲**



**45x45** - 18"x18"

7652375 Dolcevit Rosone **43 ▲**



**15x45** - 6"x18"

7652525 Dolcevit Fascia **46 ▲**



**15x15** - 6"x6"

7652515 Dolcevit Tozzetto **31 ▲**

## London Rett.

**5x29,7** - 2"x12" **60 ▲**




7684009 Statuario



7683999 Earth Grey



7683989 Breccia Oniciata



7658999 Calacatta



7659039 Palissandro



7659029 Daino



7659009 Caucaso



7659019 Carnico




7659049 Perlato Grigio



7659059 Rapolano



7659069 Scabos Rosato



7659079 Travertino Avorio




7659089 Travertino Noce




**Bullnose lato 30** 54 ▲  
29,7x59,5 - 12"x24"

7684095 Statuario Lapp. Rett.  
7684085 Earth Grey Lapp. Rett.  
7684075 Breccia Oniciata Lapp. Rett.  
7682719 Calacatta Lapp. Rett.  
7682739 Palissandro Lapp. Rett.  
7682729 Daino Lapp. Rett.  
7682749 Caucaso Lapp. Rett.  
7682759 Carnico Lapp. Rett.  
7659145 Perlato Grigio Lapp. Rett.  
7659155 Rapolano Lapp. Rett.  
7659165 Scabos Rosato Lapp. Rett.  
7659175 Travertino Avorio Lapp. Rett.  
7659185 Travertino Noce Lapp. Rett.  
7685235 Crema Marfil Lapp. Rett.  
7684705 Dolcevita Lapp. Rett.  
7684685 Opaline Lapp. Rett.  
7684695 Diaspro Lapp. Rett.




**Bullnose lato 60** 58 ▲  
29,7x59,5 - 12"x24"

7684125 Statuario Lapp. Rett.  
7684115 Earth Grey Lapp. Rett.  
7684105 Breccia Oniciata Lapp. Rett.  
7659195 Calacatta Lapp. Rett.  
7659235 Palissandro Lapp. Rett.  
7659225 Daino Lapp. Rett.  
7659215 Caucaso Lapp. Rett.  
7659205 Carnico Lapp. Rett.  
7659245 Perlato Grigio Lapp. Rett.  
7659255 Rapolano Lapp. Rett.  
7659265 Scabos Rosato Lapp. Rett.  
7659275 Travertino Avorio Lapp. Rett.  
7659285 Travertino Noce Lapp. Rett.  
7685245 Crema Marfil Lapp. Rett.  
7684735 Dolcevita Lapp. Rett.  
7684715 Opaline Lapp. Rett.  
7684725 Diaspro Lapp. Rett.



**Torello Set Angolare Rett.** 126 ▲  
4x59,5 - 1,5"x24"

7684189 Statuario Rett.  
7684179 Earth Grey Rett.  
7684139 Breccia Oniciata Rett.  
7682669 Calacatta Rett.  
7682689 Palissandro Rett.  
7682679 Daino Rett.  
7682699 Caucaso Rett.  
7682709 Carnico Rett.  
7682668 Perlato Grigio Rett.  
7683229 Rapolano Rett.  
7683189 Scabos Rosato Rett.  
7683219 Travertino Avorio Rett.  
7683199 Travertino Noce Rett.  
7685269 Crema Marfil Rett.  
7684799 Dolcevita Rett.  
7684779 Opaline Rett.  
7684789 Diaspro Rett.



**Torello Gradino Rett.** 99 ▲  
4x59,5 - 1,5"x24"

7684159 Statuario Rett.  
7684149 Earth Grey Rett.  
7684169 Breccia Oniciata Rett.  
7682619 Calacatta Rett.  
7682639 Palissandro Rett.  
7682629 Daino Rett.  
7682649 Caucaso Rett.  
7682659 Carnico Rett.  
7682618 Perlato Grigio Rett.  
7683179 Rapolano Rett.  
7683139 Scabos Rosato Rett.  
7683169 Travertino Avorio Rett.  
7683149 Travertino Noce Rett.  
7685259 Crema Marfil Rett.  
7684769 Dolcevita Rett.  
7684749 Opaline Rett.  
7684759 Diaspro Rett.



**Battiscopa Lapp. Rett.** 34 ▲  
7,5x59,5 - 3"x24"

7684035 Statuario Lapp. Rett.  
7684025 Earth Grey Lapp. Rett.  
7684015 Breccia Oniciata Lapp. Rett.  
7682365 Calacatta Lapp. Rett.  
7682375 Palissandro Lapp. Rett.  
7682385 Daino Lapp. Rett.  
7682395 Caucaso Lapp. Rett.  
7682405 Carnico Lapp. Rett.  
7322485 Perlato Grigio Rett.  
7683075 Rapolano Rett.  
7683035 Scabos Rosato Rett.  
7683065 Travertino Avorio Rett.  
7683045 Travertino Noce Rett.  
7685215 Crema Marfil Rett.  
7684835 Dolcevita Rett.  
7684805 Opaline Rett.  
7684825 Diaspro Rett.



**Battiscopa Nat. Rett.** 34 ▲  
7,5x59,5 - 3"x24"






7684065 Statuario Nat. Rett.  
7684055 Earth Grey Nat. Rett.  
7684045 Breccia Oniciata Nat. Rett.  
7682315 Calacatta Nat. Rett.  
7682325 Palissandro Nat. Rett.  
7682335 Daino Nat. Rett.  
7682345 Caucaso Nat. Rett.  
7682355 Carnico Nat. Rett.  
7322535 Perlato Grigio Nat. Rett.  
7683125 Rapolano Nat. Rett.  
7683085 Scabos Rosato Nat. Rett.  
7683105 Travertino Avorio Nat. Rett.  
7683095 Travertino Noce Nat. Rett.  
7685225 Crema Marfil Nat. Rett.  
7684865 Dolcevita Nat. Rett.  
7684845 Opaline Nat. Rett.  
7684855 Diaspro Nat. Rett.



**Battiscopa** 21 ▲  
9x45 - 3<sup>3/4</sup>"x18"

7652297 Dolcevita Nat.

**Imballi** PACKING - EMBALLAGES - VERPACKUNG - УПАКОВКА

| MAXIMA   |  PZ. |  MQ. |  BOX |  MQ. |  KG. |
|--|---|---|---|---|---|
| 59,5x59,5 Rett.  | 4   | 1,42  | 30  | 42,6  | 960   |
| 29,7x59,7 Rett.  | 7   | 1,24  | 36  | 44,64   | 976   |
| 29,7x29,7 Rett.  | 11  | 0,97  | 46  | 44,62   | 1.012   |
| 45x45  | 7   | 1,42  | 26  | 36,92   | 720,20  |
| 29,7x29,7 Mosaico  | 11  | 0,97  | 32  | 31,04   | 643,2   |
| <b>Pezzi Speciali - Trims - Accessoires - Formstücke - Специальные Изделия</b> |   |   |   |   |   |
| 29,7x59,5 Bullnose   | 7   |   |   |   |   |
| 7,5x59,5 Battiscopa  | 14  | 8,33 ml   |   |   |   |
| 4x59,5 Torello gradino   | 4   |   |   |   |   |
| 4x59,5 Torello angolare  | 2 set   |   |   |   |   |
| <b>Decorati - Decors - Décors - Dekore - Декоры</b>                            |   |   |   |   |   |
| 59,5x59,5 Rosone   | 4   |   |   |   |   |
| 45x45 Rosone Dolcevita   | 7   |   |   |   |   |
| 59,5x59,5 Tappeto Arco   | 4   |   |   |   |   |
| 29,7x59,5 Bordo  | 4   |   |   |   |   |
| 14,8x59,5 Fascia Arco  | 8   |   |   |   |   |
| 15x45 Fascia Dolcevita   | 8   |   |   |   |   |
| 15x15 Tozzetto Dolcevita   | 4   |   |   |   |   |
| 14,8x14,8 Angolo Arco  | 4   |   |   |   |   |
| 5x29,5 London  | 6   |   |   |   |   |





**GRES PORCELLANATO CON COLORAZIONE IN MASSA**  
**PORCELAINED STONEWARE WITH MASS COLOURING**  
**GRES CERAME AVEC PATE COLOREE**  
**DURCHGEFÄRBTES FEINSTEINZEUG**  
**GRES PORCELÁNICO CON COLORACIÓN EN MASA**  
**Фарфоровый керамогранит, окрашенный по всей толщине**



**Bla GL**

**Gruppo di appartenenza secondo ISO 13006**  
 Class - Groupe d'appartenance  
 Zugehörigkeitsgruppe - Grupo de pertenencia  
 Группа принадлежности

| <b>Simbologia</b><br>Symbolics<br>Symboles<br>Symbole<br>Simbologias<br>Символы | <b>Caratteristiche</b><br>Features<br>Caracteristiques<br>Eigenschaften<br>Caracteristicas<br>Характеристика  | <b>Unità di misura</b><br>Unit of measurement<br>Unité de mesure<br>Masseinheit<br>Unidad de medida<br>Единица измерения | <b>Valore medio Saime</b><br>Saime mean value<br>Valeur moyenne Saime<br>Durchschnittswert-Saime<br>Valor medio Saime<br>Среднее значение Saime | <b>Valore prescritto</b><br>Fixed value<br>Valeur prescrite<br>Vorgeschriebener Wert<br>Valor prescrito<br>Требуемое значение        | <b>Metodo di prova</b><br>Test method<br>Méthode d'essai<br>Prüfmethode<br>Método de ensayo<br>Метод испытания |
|---|---|--|---|--|--|
|   | <b>Dimensione lati</b><br>Dimensions-Lenght and widht<br>Dimensions-Longueur et largeur<br>Masse-Länge und Breite<br>Dimensiones-Longitud y ancho<br><b>Размеры сторон</b>  | %  | +/- 0,4   | +/- 0,6 max  | UNI EN ISO 10545-2   |
|   | <b>Rettilineità dei lati</b><br>Side straightness<br>Rectitude des arêtes<br>Geradlinigkeit der Kanten<br>Rectilínedad de los lados<br><b>Прямолинейность сторон</b>  | %  | +/- 0,4   | +/- 0,5 max  | UNI EN ISO 10545-2   |
|   | <b>Ortogonalità degli spigoli</b><br>Corner squaranness<br>Angularité<br>Rechtwinkligkeit der Kanten<br>Ortogonalidad de las esquinas<br><b>Ортогональность кромок</b>  | %  | +/- 0,4   | +/- 0,6 max  | UNI EN ISO 10545-2   |
|   | <b>Planarità</b><br>Flatness - Planéité<br>Ebenflächigkeit - Planeidad<br><b>Плоскостность</b>  | %  | +/- 0,4   | +/- 0,5 max  | UNI EN ISO 10545-2   |
|   | <b>Spessore</b><br>Thickness - Epaisseur<br>Dicke - Grosor - <b>Толщина</b>   | %  | +/- 5,0   | +/- 5,0 max  | UNI EN ISO 10545-2   |
|   | <b>Assorbimento d'acqua</b><br>Water absorption - Absorption d'eau<br>Wasseraufnahme - Absorción de agua<br><b>Водопоглощение</b>   | %  | < 0,2   | ≤ 0,5  | UNI EN ISO 10545-3   |
|   | <b>Sforzo di rottura</b><br>Breaking strenght - Contrainte de rupture<br>Bruchkraft - Esfuerzo de rotura<br><b>Разрушающее усилие</b>   | N  | > 1600  | ≥ 1300 se Spess. ≥ 7,5<br>≥ 700 se Spess. ≤ 7,5  | UNI EN ISO 10545-4   |
|   | <b>Modulo di rottura</b><br>Modulus of rupture - Coefficient de rupture<br>Bruchmodul - Módulo de rotura<br><b>Модуль разрыва</b>   | N/mm <sup>2</sup>  | > 40  | ≥ 35   | UNI EN ISO 10545-4   |
|   | <b>Dilatazione termica lineare</b><br>Coeff. of linear thermal expansion<br>Coeff. d'extension thermique linéaire<br>Linearer Wärmeausdehnungs-Koeffizient<br>Coeficiente de dilatación térmica lineal<br><b>Линейное тепловое расширение</b>   | °MK (-1)   | 7,0   | metodo disponibile<br>available method<br>méthode disponible<br>verfügbare methode<br>método disponible<br><b>используемый метод</b> | UNI EN ISO 10545-8   |
|   | <b>Resistenza agli sbalzi termici</b><br>Thermal shock resistyance<br>Résistance aux chocs thermiques<br>Temperaturwechsel Beständigkeit<br>Resistencia a choques térmico<br><b>Стойкость к перепадам температуры</b>   | -  | resiste<br>resist - résiste<br>widerstandsfähig - resiste<br><b>стойкий</b>   | metodo disponibile<br>available method<br>méthode disponible<br>verfügbare methode<br>método disponible<br><b>используемый метод</b> | UNI EN ISO 10545-9   |
|   | <b>Resistenza alle macchie</b><br>Stain resistance - Résistance au tâches<br>Flecken Beständigkeit - Resistencia a las manchas<br><b>Стойкость к образованию пятен</b>  | -  | ≥ 3   | 3 MIN  | UNI EN ISO 10545-14  |
|   | <b>Resistenza ai prodotti chimici di uso domestico</b><br>Resistance to chemical products<br>Résistance aux produits chimiques<br>Beständigkeit gegen Chemikalien<br>Resistencia a los productos quimicos<br><b>Стойкость к бытовым химикатам</b>   | -  | conforme<br>conform - conforme<br>gleichmässig - conforme<br><b>соответствует</b>   | MINGB  | UNI EN ISO 10545-13  |
|   | <b>Resistenza agli acidi e alle basi a bassa concentrazione</b><br>Resistant to acids and low concentration bases<br>Résistance aux acides et aux bases à faible concentration<br>Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen<br>Resistencia a los ácidos y las bases de baja concentración<br><b>Стойкость к низким концентрациям кислот и щелочей</b>   | -  | GLA   | metodo disponibile<br>available method<br>méthode disponible<br>verfügbare methode<br>método disponible<br><b>используемый метод</b> | UNI EN ISO 10545-13  |
|   | <b>Resistenza al gelo</b><br>Frost resistance - Résistance au gel<br>Frostbeständigkeit - Resistencia al hielo<br><b>Морозостойкость</b>  | -  | resiste<br>resist - résiste<br>widerstandsfähig - resiste<br><b>стойкий</b>   | richiesta<br>request - demande<br>anfrage - solicitud<br><b>требуемое значение</b>   | UNI EN ISO 10545-12  |
|   | <b>Stabilità dei colori</b><br>Colour stability - Stabilité des coloris<br>Lichtechtheit der Färbung<br>Estabilidad de los colores<br><b>Цветостойкость</b>   | -  | stabile<br>stable - stable<br>stabil - estable<br><b>стойкий</b>  | metodo disponibile<br>available method<br>méthode disponible<br>verfügbare methode<br>método disponible<br><b>требуемое значение</b> | DIN 51094  |
|   | <b>E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI</b><br>The list of our items certified by "UNI" is available for our customers - Pour tous nos clients est disponible la liste de nos produits avec la certification UNI<br>Den Kunden steht eine Aufstellung zur Veruefung der Artikeln die mit UNI Zertifikat bescheinigt wurden<br>La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela.<br><b>Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI</b> |  |   |  |  |



# MAXIMA



UFFICI COMMERCIALI Via Abetone Inferiore, 24 41053 Maranello MO Italy Tel. +39 0536 869611  
Fax +39 0536 843823 +39 0536 830313 +39 0536 832533 +39 0536 869681  
saime@riwal.it - www.saimespr.com