



experience<sup>0.3</sup>

la dimensione creativa del progetto  
the creative dimension of design



ZERO.3  
by CERAMICA  
PANARIA



experience<sup>0.3</sup>

**La dimensione creativa del progetto.**

Un materiale innovativo: ZERO.3. L'effetto resina in quattro toni neutri ed eleganti, per una nuova esperienza di progettazione architettonica.

**The creative dimension of the project.**

ZERO.3: an innovative material. The resin-effect in four neutral and elegant tones, for a new experience of architectural design.

**La dimension créative du projet.**

ZERO.3: un matériel innovant. L'effet résines en quatre tonalités neutres et élégantes, pour une nouvelle expérience de la planification architecturale.

**Die kreative Dimension des Projekts.**

ZERO.3: ein innovatives Material. Die Wirkung von Harz in vier eleganten neutralen Tönen, für eine neue Erfahrung architektonischer Gestaltung.

**La dimensión creativa del proyecto.**

ZERO.3: un material innovador. Un efecto resina en cuatro colores neutros y elegantes, para una nueva experiencia de diseño arquitectónico.

# ZERO.3

by CERAMICA  
**PANARIA**

i vantaggi di essere unica  
the advantages of being unique

3 MM

## resistente

ZERO.3 Plus e Twin resistono ad alto traffico pedonale.

## resistant

ZERO.3 Plus and Twin withstand high foot traffic.

## grande

Una gamma di 5 formati fino a 3 metri x 1.

## large

A range of 5 sizes, up to 3 metres x 1.

## planare

La superficie è sempre perfettamente piana.

## flat

The surface is always perfectly flat.

## sottile e leggera

3 mm di spessore per un peso di solo 7,4 kg/mq.

## thin and light

A 3 mm thickness for a weight of only 7.4 kg /m<sup>2</sup>.

## facile

Da tagliare, forare e posare.

## easy

To cut, drill and install.

## affidabile

Impiegata in tutto il mondo vanta numerose e prestigiose referenze.

## reliable

Used all over the world for many prestigious projects.

## garantita

20 anni di garanzia.

## guarantee

20 years warranty.

## ecologica

Minori consumi energetici, minori emissioni di CO<sub>2</sub>.

## ecological

Lower consumption of energy, lower emissions of CO<sub>2</sub>.

experience<sup>0.3</sup>

beige tenue  
100x300 plus  
mosaico A 50x50





experience<sup>03</sup> beige tenue  
100x300 plus, mosaico A 50x50

experience<sup>03</sup> beige tenue  
100x300 plus





*Il futuro appartiene a coloro  
che credono alla bellezza dei propri sogni.*  
The future belongs to those who believe in the beauty of their dreams.  
Eleanor Roosevelt


experience<sup>0.3</sup>

beige tenue  
100x300 plus, 100x100 plus

nero puro  
100x300 plus, 100x100 plus



experience<sup>®</sup> beige tenue  
100x300 plus, 100x100 plus



experience<sup>®</sup> beige tenue  
100x100 plus



experience<sup>®</sup> nero puro  
100x100 plus

experience<sup>03</sup>

**nero puro**  
100x300 plus  
4,9x100  
filato nero 50x100  
flora C 100x100


**beige tenue**  
100x300 plus



experience<sup>03</sup> filato nero  
50x100



experience<sup>03</sup> nero puro  
100x300



experience<sup>0.3</sup>  
grigio vivo, bianco denso  
100x300 plus



experience<sup>0.3</sup>

**grigio vivo**  
100x300 plus  
tratto grigio 50x100

**nero puro**  
100x300 plus

experience<sup>as</sup> grigio vivo  
100x300 plus  
tratto grigio 50x100



experience<sup>0.3</sup>


bianco denso  
100x300  
mosaico B 25x25  
elio bianco 50x100



experience<sup>as</sup> bianco denso  
elio bianco 50x100




experience<sup>as</sup> bianco denso  
100x300






Bianco denso




100X300 • 39,4"X118,1"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.  
 ZERO.3 TWIN ÷ 7 mm.



100X100 • 39,4"X39,4"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.



50X100 • 19,7"X39,4"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.




50X50 • 19,7"X19,7"  
 ZERO.3 PLUS ÷ 3,5 mm.




4,9X100 • 1,9"X39,4"  
 ZERO.3 ÷ 3 mm.\*



MOSAICO A  
 50X50 • 19,7"X19,7"  
 ZERO.3 ÷ 3 mm.



MOSAICO B  
 25X25 • 9,8"X9,8"  
 ZERO.3 ÷ 3 mm.



MOSAICO C  
 25X100 • 9,8"X39,4"  
 ZERO.3 ÷ 3 mm.




Beige tenue




100X300 • 39,4"X118,1"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.  
 ZERO.3 TWIN ÷ 7 mm.



100X100 • 39,4"X39,4"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.



50X100 • 19,7"X39,4"  
 ZERO.3 ÷ 3 mm.\*  
 ZERO.3 PLUS ÷ 3,5 mm.




50X50 • 19,7"X19,7"  
 ZERO.3 PLUS ÷ 3,5 mm.




4,9X100 • 1,9"X39,4"  
 ZERO.3 ÷ 3 mm.\*



MOSAICO A  
 50X50 • 19,7"X19,7"  
 ZERO.3 ÷ 3 mm.\*



MOSAICO B  
 25X25 • 9,8"X9,8"  
 ZERO.3 ÷ 3 mm.




MOSAICO C  
 25X100 • 9,8"X39,4"  
 ZERO.3 ÷ 3 mm.



\* POSARE SOLO A PARETE  
 RECOMMENDED ONLY FOR WALL APPLICATIONS / NUR AN DER WAND VERLEGEN / RECOMMANDÉ SEULEMENT POUR LES REVÊTEMENTS / SE RECOMIENDA EL USO SOLAMENTE PARA REVESTIMIENTOS.


Grigio vivo



100X300 • 39,4"X118,1"  
 ZERO.3 ÷ 3 mm.\* 103 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 109 ●  
 ZERO.3 TWIN ÷ 7 mm. 217 ●



100X100 • 39,4"X39,4"  
 ZERO.3 ÷ 3 mm.\* 103 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 109 ●




50X100 • 19,7"X39,4"  
 ZERO.3 ÷ 3 mm.\* 092 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 107 ●




50X50 • 19,7"X19,7"  
 ZERO.3 PLUS ÷ 3,5 mm. 107 ●



4,9X100 • 1,9"X39,4"  
 ZERO.3 ÷ 3 mm.\* 006 ●



MOSAICO A  
 50X50 • 19,7"X19,7"  
 ZERO.3 ÷ 3 mm. 095 ●



MOSAICO B  
 25X25 • 9,8"X9,8"  
 ZERO.3 ÷ 3 mm. 214 ●



MOSAICO C  
 25X100 • 9,8"X39,4"  
 ZERO.3 ÷ 3 mm. 080 ●

Nero puro



100X300 • 39,4"X118,1"  
 ZERO.3 ÷ 3 mm.\* 103 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 109 ●  
 ZERO.3 TWIN ÷ 7 mm. 217 ●



100X100 • 39,4"X39,4"  
 ZERO.3 ÷ 3 mm.\* 103 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 109 ●




50X100 • 19,7"X39,4"  
 ZERO.3 ÷ 3 mm.\* 092 ●  
 ZERO.3 PLUS ÷ 3,5 mm. 107 ●




50X50 • 19,7"X19,7"  
 ZERO.3 PLUS ÷ 3,5 mm. 107 ●




4,9X100 • 1,9"X39,4"  
 ZERO.3 ÷ 3 mm.\* 006 ●



MOSAICO A  
 50X50 • 19,7"X19,7"  
 ZERO.3 ÷ 3 mm. 095 ●




MOSAICO B  
 25X25 • 9,8"X9,8"  
 ZERO.3 ÷ 3 mm. 214 ●



MOSAICO C  
 25X100 • 9,8"X39,4"  
 ZERO.3 ÷ 3 mm. 080 ●

\* POSARE SOLO A PARETE  
 RECOMMENDED ONLY FOR WALL APPLICATIONS / NUR AN DER WAND VERLEGEN / RECOMMANDÉ SEULEMENT POUR LES REVÊTEMENTS / SE RECOMIENDA EL USO SOLAMENTE PARA REVESTIMIENTOS.



ELIO BIANCO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]


TRATTO BIANCO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

FILATO BIANCO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

ELIO BEIGE  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

TRATTO BEIGE  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

FILATO BEIGE  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]



ELIO GRIGIO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

TRATTO GRIGIO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

FILATO GRIGIO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

ELIO NERO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]


TRATTO NERO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]

FILATO NERO  
50X100 • 19,7"X39,4"  
ZERO.3 ÷ 3 mm.\* [118]


ELIO




TRATTO



FILATO




FLORA A  
100X100 • 39,4"X39,4"  
ZERO.3 PLUS ÷ 3,5 mm.\* [218]



FLORA B  
100X100 • 39,4"X39,4"  
ZERO.3 PLUS ÷ 3,5 mm.\* [218]



FLORA C  
100X100 • 39,4"X39,4"  
ZERO.3 PLUS ÷ 3,5 mm.\* [218]



FLORA D  
100X100 • 39,4"X39,4"  
ZERO.3 PLUS ÷ 3,5 mm.\* [218]



FLORA E  
100X100 • 39,4"X39,4"  
ZERO.3 PLUS ÷ 3,5 mm.\* [218]

LE DIMENSIONI DEI DECORI SONO PERSONALIZZABILI  
DECORS DIMENSIONS CAN BE CUSTOMIZED  
DAS FORMAT DER DEKOREN IST AUF WUNSCH REALISIERBAR  
LA DIMENSIONS DES DÉCORS PEUT ÊTRE PERSONNALISÉE  
LAS DIMENSIONES DE LA DECORACIONES SON PERSONALIZABLES

\* POSARE SOLO A PARETE  
RECOMMENDED ONLY FOR WALL APPLICATIONS / NUR AN DER WAND VERLEGEN / RECOMMANDÉ SEULEMENT POUR LES REVÊTEMENTS / SE RECOMIENDA EL USO SOLAMENTE PARA REVESTIMIENTOS.

ATTENZIONE: PER LA PULIZIA DEI DECORI ATTENERSI SCRUPolosAMENTE ALLE ISTRUZIONI CONTENUTE NELL'IMBALLO  
NOTICE: TO CLEAN THE DECORS YOU MUST FOLLOW CAREFULLY THE INSTRUCTIONS PROVIDED INSIDE THE BOX  
ACHTUNG: FÜR DIE REINIGUNG SICH GENAU AUF DIE ANLEITUNGEN IN DER VERPACKUNG HALTEN  
ATTENTION: POUR LE NETTOYAGE DES DÉCORS IL FAUT SUIVRE SCRUPULEUSEMENT LES RENSEIGNEMENTS CONTENUS DANS LA BOÎTE  
AVISO: POR LIMPIAR LAS DECORACIONES ATENERSE A LAS INSTRUCCIONES RECIBIDAS DENTRO DE LA CAJA



**Destinazione d'uso**  
intended use

CENTRI COMMERCIALI, NEGOZI MALLS, SHOPS	RESIDENCE, APPARTAMENTI, LOFT RESIDENCES, APARTMENTS, LOFTS	BAR, RISTORANTI BARS, RESTAURANTS	PARETI VENTILATE SISTEMI A CAPPOTTO VENTILATED FACADES THERMAL INSULATION SYSTEM	PAVIMENTI SOPRAELEVATI FLOATING FLOORS

**Caratteristiche tecniche**  
Technical features

GRES LAMINATO  
LAMINATED PORCELAIN STONWARE / LAMINIERTES FEINSTEINZEUG / GRÉS LAMINÉ / GRES LAMINADO  
EN 14411-G (Bla-UGL) • ANSI 137.1-UGL (UNGLAZED PORCELAIN TILES - P1 CLASS) • ISO 13006-G (Bla-UGL)

	RESISTENZA ALLA SCIVOLOSITÀ SLIP RESISTANCE RUTSCHFESTIGKEIT RÉSISTANCE AU GLISSEMENT RESISTENCIA DEL RESBALÓN	DIN 51130	R9
		ASTM C 1028	≥ 0.60
	RESISTENZA ALL'ABRASIONE PROFONDA DEEP ABRASION RESISTANCE WIDERSTAND GEGEN TIEFENABRIEB RÉSISTANCE A L'ABRASION PROFONDE RESISTENCIA A LA ABRASION PROFUNDA	ISO 10545-6	CONFORME CONFORMS GEMÄß CONFORME CONFORME
		ASTM C1243	CONFORME CONFORME
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE FLECKENBEST ÄNDIGKEIT RÉSISTANCE AUX TACHES RESISTENCIAS A LAS MANCHAS	ISO 10545-14	5 RESISTENTE, RESISTANT, BESTÄNDIG, RÉSISTANT
		CTI 81-7 D	RESISTANT
	RESISTENZA ALL' ATTACCO CHIMICO CHEMICAL RESISTANCE CHEMISCHE BEST ÄNDIGKEIT RÉSISTANCE CHIMIQUE RESISTENCIA A LOS PRODUCTOS QUIMICOS	ISO 10545-13	ULA, UHA RESISTENTE, RESISTANT, BESTÄNDIG, RÉSISTANT
		ASTM C650	RESISTANT
	RESISTENZA AL GELO FROST RESISTANCE FROSTBESTÄNDIGKEIT RÉSISTANCE AU GEL RESISTENCIA AL HIELO	ISO 10545-12	RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT
		ASTM C1026	RESISTANT
	FUGA MINIMA MINIMUM JOINT	POSA A PARETE/ WALL: ≥ 1 MM POSA A PAVIMENTO/ FLOOR: ≥ 2 MM	

**Imballaggi e pesi**  
Packings and weights

DESCRIZIONE DESCRIPTION BESCHREIBUNG DESCRIPTION DESCRIPTION	FORMATI FORMATS FORMATOS	PEZZI SCATOLA PIECES BOX STÜCK-KARTON PIÈCES BOÎTE PZAS. CAJA	PESO SCATOLA KG. WEIGHT BOX GEWICHT KARTON POIDS BOÎTE PESO CAJA KG	MQ. SCATOLA SQ. MT. BOX QM. KARTON M² BOÎTE M² CAJA	ML SCATOLA LN. MT. BOX LM KARTON ML BOÎTE ML CAJA	SCATOLE PALLET BOXES PALLET KARTONS PALETTE BOÎTES PALETTE CAJAS PALLET	PESO PALLET KG WEIGHT PALLET GEWICHT PALETTE POIDS PALETTE PESO PALLET KG.	MQ. PALLET SQ. MT. PALLET QM PALETTE M² PALLETTE M² PALLET
EXPERIENCE0.3	100X300X0,3	1	22,2	3	-	13	288,60	39
EXPERIENCE0.3	100X100X0,3	3	22,2	3	-	25	555	75
EXPERIENCE0.3	50X100X0,3	5	17,8	2,50	-	32	569,6	80
EXPERIENCE0.3	4,9X100X0,3	10	3,9	0,49	-	39	152,10	19,11
EXPERIENCE0.3	MOSAICO A 50X50X0,3	3	5,25	0,75	-	-	-	-
EXPERIENCE0.3	MOSAICO B 25X25X0,3	6	2,70	0,375	-	-	-	-
EXPERIENCE0.3	MOSAICO C 25X100X0,3	3	5,25	0,750	-	-	-	-
EXPERIENCE0.3	DECORI 50X100X0,3	4	14	2	-	-	-	-
EXPERIENCE0.3 PLUS	DECORI STAMPATI 100X100X0,35	1	7,4	1	-	-	-	-
EXPERIENCE0.3 PLUS	100X300X0,35	1	25,35	3	-	12	304,2	36
EXPERIENCE0.3 PLUS	100X100X0,35	3	24,1	3	-	25	602,5	75
EXPERIENCE0.3 PLUS	50X100X0,35	5	20	2,50	-	32	640	80
EXPERIENCE0.3 PLUS	50X50X0,35	7	14	1,75	-	48	672	84
EXPERIENCE0.3 TWIN	100X300X0,7	1	50,16	3	-	6	300,96	18

ZERO.3  
by CERAMICA PANARIA

© Marketing Panaria  
Progetto: Exprimo Comunicazione  
Foto: Punto Immagine  
Stampa: Grafiche dell'Artiere  
Febbraio 2012

Illuminazione d'arredo: Vistosi®

# experience<sup>0.3</sup>

