

re
ser
ve

 saime


reserve

L'esclusività del legno
e la resistenza della ceramica



THE EXCLUSIVENESS OF WOOD AND THE STRENGTH OF CERAMICS . LE CARACTERE EXCLUSIF DU BOIS, LA RESISTANCE DE LA CERAMIQUE

DIE EXKLUSIVE OPTIK VON HOLZ UND DIE BESTÄNDIGKEIT VON KERAMIK . ЭКСКЛЮЗИВНОСТЬ ДЕРЕВА И ПРОЧНОСТЬ КЕРАМИКИ





re
set
te

Chroma Bricks Bianco lapp. (3x10 . 1,2"x4")
30x30 . 12"x12"


Reserve Coco
22,5x90 . 9"x35,4"
11x90 . 4,3"x35,4"

Reserve Liquorice
11x90 . 4,3"x35,4"







Reserve Caramel
22,5x90 . 9"x35,4"



Reserve Cream
22,5x90 . 9"x35,4" = 46,40%
15x90 . 6"x35,4" = 30,90%
11x90 . 4,3"x35,4" = 22,70%







re
ser
ve


Reserve Cream
15x90 . 6"x35,4"

Reserve Moka
15x90 . 6"x35,4"







Reserve Coco
22,5x90 . 9" x 35,4" = 50%
11x90 . 4,3" x 35,4" = 50%



Reserve Liquorice
15x90 . 6" x 35,4"



re
set
ve



MOKA



BISCUIT



CARMEL



CREAM



LIQUORICE



COCO




Formati SIZES - FORMATS - FORMAT - ФОРМАТЫ



45x90 - 18"x35,4"
Rettificato **106** ●

7659675 cream rett.
7659685 caramel rett.
7659695 biscuit rett.
7659705 moka rett.
7659725 liquorice rett.
7659715 coco rett.



22,5x90 - 9"x35,4"
Rettificato **112** ●

7659735 cream rett.
7659745 caramel rett.
7659755 biscuit rett.
7659765 moka rett.
7659785 liquorice rett.
7659775 coco rett.



15x90 - 6"x35,4"
Rettificato **112** ●

7659855 cream rett.
7659865 caramel rett.
7659875 biscuit rett.
7659885 moka rett.
7659905 liquorice rett.
7659895 coco rett.



11x90 - 4,3"x35,4"
Rettificato **112** ●

7659795 cream rett.
7659805 caramel rett.
7659815 biscuit rett.
7659825 moka rett.
7659845 liquorice rett.
7659835 coco rett.



30x60 - 12"x24"
Naturale **82** ●

7672545 cream
7672525 caramel
7672515 biscuit
7672565 moka
7672555 liquorice
7672535 coco



14,8x59,5 - 6"x24"
Rettificato **102** ●

7672665 cream rett.
7672645 caramel rett.
7672635 biscuit rett.
7672685 moka rett.
7672675 liquorice rett.
7672655 coco rett.



9,8x59,5 - 4"x24"
Rettificato **102** ●

7672725 cream rett.
7672705 caramel rett.
7672695 biscuit rett.
7672745 moka rett.
7672735 liquorice rett.
7672715 coco rett.

29,7x59,5 - 12"x24"
Rettificato **88** ●

7672705 cream rett.
7672585 caramel rett.
7672575 biscuit rett.
7672625 moka rett.
7672615 liquorice rett.
7672595 coco rett.



45x90 30x60
22,5x90 29,7x59,5
15x90 14,8x59,5
11x90 9,8x59,5

Pezzi speciali TRIMS - PIECES SPECIALES - FORMSTÜCKE - ОСОБЫЕ ЭЛЕМЕНТЫ




Battiscopa Nat. **34** ▲
7,5x60 - 3"x24"

7672785 cream
7672765 caramel
7672755 biscuit
7672805 moka
7672795 liquorice
7672775 coco


Battiscopa Rett. **34** ▲
7,5x59,5 - 3"x24"

7672845 cream rett.
7672825 caramel rett.
7672815 biscuit rett.
7672865 moka rett.
7672855 liquorice rett.
7672835 coco rett.



Torello Gradino Rett. **99** ▲
4x59,5 - 1,5"x24"


7672999 cream rett.
7672889 caramel rett.
7672879 biscuit rett.
7673019 moka rett.
7673009 liquorice rett.
7672899 coco rett.



Torello Set Ang. Rett. **126** ▲
4x59,5 - 1,5"x24"

7673069 cream rett.
7673039 caramel rett.
7673029 biscuit rett.
7673089 moka rett.
7673079 liquorice rett.
7673059 coco rett.

Imballi PACKING - EMBALLAGES - VERPACKUNG - УПАКОВКА




	PZ.	MQ.	BOX	MQ.	KG.
45x90 rett.	3	1,215	27	32,805	818,91
22,5x90 rett.	6	1,215	36	43,74	1091,88
15x90 rett.	12	1,62	36	58,32	1188
11x90 rett.	12	1,19	36	42,84	1091,88
30x60	7	1,26	40	50,40	1040
29,5x59,5 rett.	7	1,24	40	49,60	952
14,8x59,5 rett.	14	1,23	40	49,20	952
9,8x59,5 rett.	20	1,18	40	47,20	952
7,5x60 battiscopa nat.	14	8,4 ML			
7,5x59,5 battiscopa rett.	14	8,33 ML			
4x59,5 torello gradino rett.	4				
4x59,5 torello set ang. rett.	2 set				

Destinazioni d'uso INTENDED USE - DESTINATIONS D'EMPLOI - ANWENDUNGSBEREICH - ОБЛАСТИ ПРИМЕНЕНИЯ








1/2 NO - NO - NON - NEIN - HET




1/4 SI - YES - OUI - JA - DA




22,5x90 = 37,8%
15x90 = 25,2%
11x90 = 37%




15x90 = 57,7%
11x90 = 42,3%




22,5x90 = 60%
15x90 = 40%




22,5x90 = 67,2%
11x90 = 32,8%




29,7x59,5 = 54,5%
14,8x59,5 = 27,3%
9,8x59,5 = 18,2%



29,7x59,5 = 46,1%
14,8x59,5 = 23,1%
9,8x59,5 = 30,8%



14,8x59,5 = 100%



14,8x59,5 = 100%



GRES PORCELLANATO CON COLORAZIONE IN MASSA

PORCELAINED STONEWARE WITH MASS COLOURING

GRES CERAME AVEC PATE COLOREE

DURCHGEFÄRBTES FEINSTEINZEUG

ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ



Bla GL

Gruppo di appartenenza secondo ISO 13006

Class - Groupe d'appartenance

Zugehörigkeitsgruppe

Группа принадлежности

Simbologia Symbolics Symboles Symbole Символы	Caratteristiche Features Caracteristiques Eigenschaften Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Единица измерения	Valore medio Saime Saime mean value Valeur moyenne Saime Durchschnitts-Werf-Saime Среднее значение Saime	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Метод испытания
	Dimensione lati Dimensions-Lenght and widht Dimensions-Longueur et largeur Masse-Länge und Breite Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Rettilineità dei lati Side straightness Rectitude des arêtes Geractlinigkeit der Kanten Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Ortogonalità degli spigoli Corner squareness Angularité Rechtwinkligkeit der Kanten Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2
	Planarità Flatness Planéité Ebenflächigkeit Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2
	Spessore Thickness Epaisseur Dicke Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Водопоглощение	%	< 0,2	≤ 0,5	UNI EN ISO 10545-3
	Sforzo di rottura Breaking strenght Contrainte de rupture Bruchkraft Разрушающее усилие	N	> 1600	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4
	Modulo di rottura Modulus of rupture Coefficient de rupture Bruchmodul Модуль разрыва	N/mm ²	> 40	≥ 35	UNI EN ISO 10545-4
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode используемый метод	UNI EN ISO 10545-8
	Resistenza agli sbalzi termici Thermal shock resistyance Résistance aux chocs termiques Temperaturwechsel beständig keit Стойкость к перепадам температуры	-	resiste resist résiste widerstandsfähig стойкий	metodo disponibile available method méthode disponible verfügbare methode используемый метод	UNI EN ISO 10545-9
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken beständigkeit Стойкость к образованию пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig соответствует	MINGB	UNI EN ISO 10545-13
	Resistenza agli acidi alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Стойкость к низким концентрациям кислот и щелочей	-	GLA	metodo disponibile available method méthode disponible verfügbare methode используемый метод	UNI EN ISO 10545-13
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Морозостойкость	-	resiste resist résiste widerstandsfähig стойкий	richiesta request demande anfrage требуемое значение	UNI EN ISO 10545-12
	Stabilità dei colori Colour stability Stabilité des coloris Lichtechtheit der Färbung Цветостойкость	-	stabile stable stabil стойкий	metodo disponibile available method méthode disponible verfügbare methode требуемое значение	DIN 51094



È a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI

The list of our items certified by "UNI" is available for our customers

Pour tous nos clients est disponible la liste de nos produits avec la certification UNI

Den Kunden steht eine Aufstellung zur Verfügung, der Artikeln die mit UNI Zertifikat bescheinigt wurden

Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI

N° DI CONCESSIONE P0219



UFFICI COMMERCIALI Via Abetone Inferiore, 24 41053 Maranello (MO) Italy **Tel. +39 0536 869611**
Fax +39 0536 843823 +39 0536 830313 +39 0536 832533 +39 0536 869681
saime@riwal.it - www.saimespr.com